



Robert Greene Sterne
Jorge A. Goldstein
David K.S. Cornwell
Robert W. Esmond
Tracy-Genie G. Durkin
Michele A. Cimbala
Michael B. Ray
Robert E. Sokohl
Eric K. Steffe
Michael Q. Lee
John M. Covert
Robert C. Millonig
Donald J. Featherstone
Timothy J. Shea, Jr.
Michael V. Messinger
Judith U. Kim
Jeffrey T. Helvey
Eldora L. Ellison
Donald R. Banowitz

Peter A. Jackman
Brian J. Del Buono
Mark Fox Evens
Vincent L. Capuano
Elizabeth J. Haanes
Michael D. Specht
Kevin W. McCabe
Glenn J. Perry
Theodore A. Wood
Edward W. Yee
Grant E. Reed
Jason D. Eisenberg
Tracy L. Muller
Jon E. Wright
LuAnne M. DeSantis
Helene C. Carlson
Cynthia M. Bouchez
Timothy A. Doyle
Gaby L. Longworth

Lori A. Gordon
Laura A. Vogel
Shannon A. Carroll
Anbar F. Khal
Michelle K. Holoubek
Marsha A. Rose
Scott A. Schaller
Lei Zhou
W. Blake Coblenz
James J. Pohl
John T. Haran
Mark W. Rygiel
Michael R. Malek*
Carla Ji-Eun Kim
Doyle A. Siever*
Ulrike Winkler Jenks
Paul A. Calvo
C. Matthew Rozier*
Randall K. Baldwin

Daniel J. Nevriy
Lori M. Brandes
Jeffrey K. Mills*
Mita Mukherjee*
Scott M. Woodhouse*
Christian A. Camarce*
Richard D. Collier III*
Keisha Hylton-Rodic
Bonnie Nannenga-Combs
Alyssa K. Sandrowitz*
Jonathan M. Strang*
Ishan P. Weerakoon*

Registered Patent Agents*
Karen R. Markowicz
Matthew J. Dowd
Peter A. Socarras
Danielle L. Letting
Steven C. Oppenheimer

Aaron S. Lukas
Gaurav Asthana
Stephanie L. Elmer
Robert E. Bakin
Salvador M. Bezoz
Yasser Mourtada

Of Counsel
Edward J. Kessler
Kenneth C. Bass III
Marvin C. Guthrie
Christopher P. Wrist
David C. Isaacson

*Admitted only in Maryland
*Admitted only in Virginia
•Practice Limited to
Federal Agencies

January 7, 2009

WRITER'S DIRECT NUMBER:
(202) 772-8645
INTERNET ADDRESS:
JASONE@SKGF.COM

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Art Unit 1792

Attn: Certificate of Correction Branch

Re: U.S. Utility Patent
Patent No. 7,357,840 B2; Issued: April 15, 2008
For: **Solvent Bath and Drain**
Inventor: Andrew P. Nguyen
Our Ref: 1857.6990000

Sir:

Transmitted herewith for appropriate action are the following documents:

1. Request for Certificate of Correction Under 37 C.F.R. § 1.322; and
2. Form PTO/SB/44 (1 sheet).

The above-listed documents are filed electronically through EFS-Web. In the event that extensions of time are necessary to prevent abandonment of this patent application, then such extensions of time are hereby petitioned. The U.S. Patent and Trademark Office is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

Jason D. Eisenberg
Attorney for Patentee
Registration No. 43,447

JDE/ahw
Enclosures

DOC#923737_1.DOC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of:

Andrew P. Nguyen

Patent. No.: 7,357,840

Issued: April 15, 2008

For: **Solvent Bath and Drain**

Confirmation No.: 9132

Art Unit: 1792

Examiner: Tadesse, Yewebdar T

Atty. Docket: 1857.6990000

**Request for Certificate of Correction
Under 37 C.F.R. § 1.322**

Attn: Certificate of Correction Branch

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

It is hereby requested that a Certificate of Correction under 37 C.F.R. § 1.322 be issued for the above-captioned United States Patent. This Certificate of Correction is being requested due to mistakes which appear in the printed patent. These mistakes were made by the U.S. Patent and Trademark Office.

Specifically, the printed patent contains the following errors for which a Certificate of Correction is respectfully requested:

In column 8, line 22 please replace "top piece." with --top piece,--. Claim 15, originally claim 28, was filed correctly in the Amendment and Reply filed August 17, 2007. Therefore, patent should have issued with column 8, line 22 --top piece,-- instead of "top piece.".

Remarks

The above-noted corrections do not involve such changes in the patent as would constitute new matter or would require reexamination.

A completed Form PTO/SB/44 accompanies this request, with the above-noted corrections printed thereon. Accordingly, a Certificate of Correction is believed proper and issuance thereof is respectfully requested.

The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.

Jason D. Eisenberg
Attorney for Patentee
Registration No. 43,447

Date:

1/7/09

1100 New York Avenue, N.W.
Washington, D.C. 20005-3934
(202) 371-2600

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**Page 1 of 1

PATENT NO: 7,357,840

DATED: April 15, 2008

INVENTOR(S): Andrew P. Nguyen

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

Column 8

Line 22 please replace "top piece." with --top piece,--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

1100 New York Avenue, NW

Washington DC 20005-3934

Atty. Dkt. No. 1857.6990000

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

DOC#923734_1.DOC